



WELD ALL CORNERS.
MAKE SMOOTH AFTER
WELDING.

SPOTWELD $\frac{3}{16}$ " THICK STEEL GROUND LUG WITH
PROJECTING PART TIN-PLATED. MASK LUG
BEFORE FINISHING.



DETAIL OF GROUND LUG
SCALE - APPROX. FULL SIZE.

EXTRUDE & TAP FOR 6-32 SCREW.
10 HOLES. EXTRUSION TO PROJECT
FROM FAR FACE

$\frac{3}{16}$ DIA. - 2 HOLES - COUNTERSINK
FROM NEAR FACE FOR
8-32 FLAT HEAD MACHINE
SCREW

$\frac{3}{16}$ DIA. - 2 HOLES - COUNTERSINK
FROM NEAR FACE FOR
8-32 FLAT HEAD MACHINE
SCREW

VARIATIONS ON FINISHED DIMENSIONS
(UNLESS OTHERWISE MARKED)

BASIC DIMENSIONS	FRACTIONAL DIMENSIONS	DECIMAL DIMENSIONS
UP TO $\frac{1}{4}$	$\pm \frac{1}{128}$	$\pm .005$
ABOVE $\frac{1}{4}$ TO $\frac{1}{2}$	$\pm \frac{1}{64}$	$\pm .005$
ABOVE $\frac{1}{2}$ TO $2\frac{1}{4}$	$\pm \frac{1}{32}$	$\pm .010$
ABOVE $2\frac{1}{4}$	$\pm \frac{1}{16}$	$\pm .015$

ALL DIMENSIONS ARE IN INCHES.
USE FIGURED DIMENSIONS - DO NOT SCALE.

MOORE SCHOOL OF ELECTRICAL ENGINEERING
UNIVERSITY OF PENNSYLVANIA

CONSTANT TRANSMITTER FRONT PANEL No 2

MATERIAL	FINISH	SCALE
$\frac{1}{16}$ " SHEET STEEL	WRINKLED BLACK	$\frac{1}{2}$ FULL SIZE

Drawn by J. Cummings AUGUST 23, 1944.	Checked by J. Cummings 8-24-44	Approved by J. Cummings 8-24-44
---	--------------------------------------	---------------------------------------

PX-11-206