



DRILL TOP FOR  
12-24 M.S. - 28 HOLES  
25 EQUAL SPACES @  $3\frac{1}{2} = 87\frac{1}{2}$

DRILL TOP FOR  
12-24 M.S. - 2 HOLES

ENDS TO BE CUT  
FLAT BY GRINDING




RACK SIDE PIECES 9" - 5.488 STRUCT. CHANNEL  
AS SHOWN,  
HOLES DRILLED ON OPPOSITE HAND.



(C)

BOTTOM RACK ANGLE 8x4 1/2



(D)

TOP RACK ANGLE 3 1/2 x 2 1/2 x 1/4

MINN. C.A. 4-87 CIV 139

PLAINTIFF'S TRIAL  
EXHIBIT

002362

No. 2331

VARIATIONS ON FINISHED DIMENSIONS (UNLESS OTHERWISE MARKED)	
RANK DIMENSIONS	GENERAL DIMENSIONS
UP TO 1/4	± .005
ABOVE 1/4 TO 1/2	± .010
ABOVE 1/2 TO 1	± .015
ABOVE 1	± .020

ALL DIMENSIONS ARE IN INCHES.  
USE FINISHED DIMENSIONS - DO NOT SCALE

MOORE SCHOOL OF ELECTRICAL ENGINEERING  
UNIVERSITY OF PENNSYLVANIA

TEST BENCH POWER SUPPLY PIECES

DATE: 2/21/45  
DRAWN BY: J. Gammag  
CHECKED BY: 2/21/45

EXHIBIT NO. PX-2-202