


REVISIONS

DIAL POSITIONS WERE
EXT, CPP, CCG, RP, 9P, 10P,
1, 2, 2', 4, 1', AND SCG.

J. Cummings 10-16-44 - 1
F. J. 10-17-44



NOTE:

ALL CHARACTERS ARE REVERSED ETCHED ON PLATE.

VARIATIONS ON FINISHED DIMENSIONS
(UNLESS OTHERWISE MARKED)

BASIC DIMENSIONS	FRACTIONAL DIMENSIONS	DECIMAL DIMENSIONS
UP TO 1/4	± 1/128	± .005
ABOVE 1/4 TO 1	± 1/64	± .005
ABOVE 1 TO 2 1/2	± 1/32	± .010
ABOVE 2 1/2	± 1/16	± .015

ALL DIMENSIONS ARE IN INCHES.
USE FIGURED DIMENSIONS - DO NOT SCALE.

MOORE SCHOOL OF ELECTRICAL ENGINEERING
UNIVERSITY OF PENNSYLVANIA

CYCLING UNIT OSCILL. INPUT SWITCH DIAL PLATE

MATERIAL	FINISH	SCALE
0.032" SHEET ZINC	PLATED & BACKGROUND BLACK LAQUEERED	APPROX. FULL SIZE
Drawn by: MSM	Checked by: F. J.	Approved by: F. J.
Aug. 21, 1944	10-10-44	10-10-44
PX-9-205		